

PRODUCT DATA SHEET

Product Description

This oil is developed as a engine oil to meet the requirements of almost all the engines in passenger cars running on multiple fuels like Gasoline, Diesel, Bio Diesel, Gasoline-ethanol. It is particularly suited for turbo charged, multi valve and direct injection engines.

Benefits

Power Synova provides the following benefits when used as recommended:

- As a High Quality engine oil, it provides excellent oxidation stability, low temperature flow properties.
- Helps to protect high performance engines from power and performance robbing deposits.
- Helps to protect the engine throughout the oil drain interval.
- Protection of three-way catalyst poisons by reducing the volatility of the phosphorus in the lubricant.

Application

96 Diesel Engine Oil SAE 15W40 designed for use in modern gasoline engines, diesel engines (without particulate filters) and gas engines. And it is also suitable for use with bio diesel and gasoline Engines.

The Advance formulation offers maximum protection in very hot and extremely cold climates and severe driving conditions.

Properties

The Advance formulation technology gives very high thermal stability performance to the oil which leads to very prolonged oil change interval. Easier starting in cold weather, faster oil flow for engine life by protecting surfaces from wear and by helping to neutralize the corrosive combustion.

Typical Characteristics

Diesel Engine Oil	15W40
API Grade	CI4/SN
Flash Point, °C	230
Pour Point, °C	-39
Viscosity at 40°C, cSt	105.8
Viscosity at 100°C, cSt	14.50
Viscosity Index	160
Total Base No., Min.	10

Credentials & Specifications

API: CI-4/SN

Typical physical characteristics of 96 Motor Engine Oil are given in the table. These are intended as a guide to the industry and are not necessarily manufacturing or marketing specifications.

Ramco Lubricants and Greases Manufacturers FZ L.L.C
Zone K, Al Ghail Industrial Zone FZ
Ras Al Khaimah
United Arab Emirates
Mob: +971 5859 87100
Email: info@ramcolubricants.com